

# Rhodiola References

## Recent Studies

- Abidoff, M., and Z. Ramazanov. Rhodiola rosea: the herbal heavyweight from Russia. Muscle Development (January 2003).  
<http://vitalityplus.com.au/articles/RhodiolaPDF%20on%20Physical%20Performance.pdf>.
- Abidov, M., et al. Effect of extracts from Rhodiola rosea and Rhodiola crenulata (Crassulaceae) roots on ATP content in mitochondria of skeletal muscles. Bull Exp Biol Med 136, no. 6 (2003): 585–87.
- Abidov, M., et al. Extract of Rhodiola rosea radix reduces the level of C-reactive protein and creatinine kinase in the blood. Bull Exp Biol Med 138, no. 1 (2004): 63–64.
- Akgul, Y., et al. Lotaustralin from Rhodiola rosea roots. Fitoterapia 75, no. 6 (2004): 612–14. An, F., et al. Determination of salidroside in eight Rhodiola species by TLC-UV spectrometry.
- Zhongguo Zhong Yao Za Zhi 23, no. 1 (1998): 43–44, 64.
- Anonymous. Rhodiola. On the website of Paradise Herbs.  
<http://paradiseherbs.com/media/uploads/research/Rhodiola.pdf> (accessed February 8, 2012).
- Anonymous. Rhodiola integrifolia Raf. Entry in the U.S. Department of Agriculture Natural Resources Conservation Service PLANTS Database. <http://plants.usda.gov/java/profile?symbol=RHINI> (accessed December 10, 2010).
- Anonymous. Rhodiola rhodantha. Entry in Plants for a Future database.  
<http://www.pfaf.org/user/Plant.aspx?LatinName=Rhodiola+rhodantha> (accessed December 21, 2011).
- Anonymous. Rhodiola rhodantha. Entry in the U.S. Department of Agriculture Natural Resources Conservation Service PLANTS Database. <http://plants.usda.gov/java/profile?symbol=RHRH4> (accessed December 10, 2010).
- Anonymous. Rhodiola rosea. Monograph. Altern Med Rev 7, no. 5 (2002): 421–23.
- Anonymous. Rhodiola rosea. Wikipedia. [http://en.Wikipedia.org/wiki/Rhodiola\\_rosea](http://en.Wikipedia.org/wiki/Rhodiola_rosea) (accessed February 12, 2011).
- Anonymous. Rhodiola rosea L. Entry in the Global Biodiversity Information Facility database.  
<http://data.gbif.org/search/taxa/Rhodiola%20rosea> (accessed December 10, 2010).
- Anonymous. Rhodiola rosea L. Entry in the U.S. Department of Agriculture Natural Resources Conservation Service PLANTS Database. <http://plants.usda.gov/java/profile?symbol=RHRO3> (accessed December 10, 2010).
- Anonymous. Study on the chemical constituents from Rhodiola bupleuroides. Magazine abstract, October 10, 2008. <http://jokefans.com/read.php/4735.htm>.
- Arora, R., et al. Evaluation of radioprotective activities Rhodiola imbricata Edgew—a high altitude plant. Mol Cell Biochem 273, no. 1–2 (2005): 209–23.
- Aslanyan, G., et al. Double-blind, placebo-controlled, randomized study of single dose effects of ADAPT-232 on cognitive functions. Phytomedicine 17, no. 7 (2010): 494–99.
- Battistelli, M., et al. Rhodiola rosea as antioxidant in red blood cells: ultrastructural and hemolytic behaviour. Eur J Histochem 49, no. 3 (2005): 243–54.
- Bocharova, O. A., et al. The effect of a Rhodiola rosea extract on the incidence of recurrences of a superficial bladder cancer (experimental clinical research). Urol Nefrol (Moscow) 2 (1995): 46–47.
- Brown, R. P., et al. Rhodiola rosea: a phytochemical overview. HerbalGram 56 (2002): 40–52.

- Bystritsky, A., et al. A pilot study of *Rhodiola rosea* (Rhodax) for generalized anxiety disorder (GAD). *J Altern Complement Med* 14, no. 2 (2008): 175–80.
- Calcabrini, C., et al. *Rhodiola rosea* ability to enrich cellular antioxidant defences of cultured human keratinocytes. *Arch Dermatol Res* 302, no. 3 (2010): 191–200.
- Cao, L. L., et al. The effect of salidroside on cell damage induced by glutamate and intracellular free calcium in PC12 cells. *J Asian Nat Prod Res* 8, no. 1–2 (2006): 159–65.
- Chem, X., et al. Hypoglycemic effect of *Rhodiola sachalinensis* A. Bor. polysaccharides: comparison of administration in different ways. *Zhongguo Zhong Yao Za Zhi* 21, no. 11 (1996): 685–87.
- Chen, C. H., et al. Antioxidant activity of some plant extracts towards xanthine oxidase, lipoxygenase and tyrosinase. *Molecules* 14, no. 8 (2009): 2947–58.
- Chen, Q. G., et al. The effects of *Rhodiola rosea* extract on 5-HT level, cell proliferation and quantity of neurons at cerebral hippocampus of depressive rats. *Phytomedicine* 16, no. 9 (2009): 830–38.
- Chen, T. S., et al. Antioxidant evaluation of three adaptogen extracts. *Am J Chin Med* 36, no. 6 (2008): 1209–17. (2009): 85–93.
- Cui, S., et al. Determination of p-tyrosol and salidroside in three samples of *Rhodiola crenulata* and one of *Rhodiola kirilowii* by capillary zone electrophoresis. *Anal Bioanal Chem* 377, no. 2 (2003): 370–74.
- Darbinyan, V., et al. Clinical trial of *Rhodiola rosea* L. extract SHR-5 in the treatment of mild to moderate depression. *Nord J Psychiatry* 61, no. 5 (2007): 343–48.
- Darbinyan, V., et al. *Rhodiola rosea* in stress induced fatigue—a double blind cross-over study of a standardized extract SHR-5 with a repeated low-dose regimen on the mental performance of healthy physicians during night duty. *Phytomedicine* 7, no. 5 (2000): 365–71.
- De Bock, K., et al. Acute *Rhodiola rosea* intake can improve endurance exercise performance. *Int J Sport Nutr Exerc Metab* 14, no. 3 (2004): 298–307.
- De Sanctis, R., et al. In vitro protective effect of *Rhodiola rosea* extract against hypochlorous acid-induced oxidative damage in human erythrocytes. *Biofactors* 20, no. 3 (2004): 147–59.
- Dieamant, G. C., et al. Neuroimmunomodulatory compound for sensitive skin care: in vitro and clinical assessment. *J Cosmet Dermatol* 7, no. 2 (2008): 112–19.
- Evdokimov, V. G., et al. Effect of cryopowder *Rhodiola rosea* L. on cardiorespiratory parameters and physical performance of humans. *Aviakosm Ekolog Med* 43, no. 6 (2009): 52–56.
- Evstatieva, L., et al. Chemical composition of the essential oils of *Rhodiola rosea* L. of three different origins. *Pharmacogn Mag* 6, no. 24 (2010): 256–58.
- Fan, W., et al. Prolyl endopeptidase inhibitors from the underground part of *Rhodiola sachalinensis*. *Chem Pharm Bull (Tokyo)* 49, no. 4 (2001): 396–401.
- Fintelmann, V., et al. Efficacy and tolerability of a *Rhodiola rosea* extract in adults with physical and cognitive deficiencies. *Adv Ther* 24, no. 4 (2007): 929–39.
- Galambosi, B. Demand and availability of *Rhodiola rosea* L. raw material. Chapter 16 in *Medicinal and Aromatic Plants*, ed. R. J. Bogers et al., 223–36. Wageningen UR Frontis series, vol. 17. Springer, 2006.
- Gao, D., et al. Antidiabetic potential of *Rhodiola sachalinensis* root extract in streptozotocin-induced diabetic rats. *Methods Find Exp Clin Pharmacol* 31, no. 6 (2009): 375–81.
- Gauger, K. J., et al. *Rhodiola crenulata* inhibits the tumorigenic properties of invasive mammary epithelial cells with stem cell characteristics. *J Med Plants Res* 4, no. 6 (2010): 446–54.

- Goel, H. C., et al. Radioprotection by *Rhodiola imbricata* in mice against whole-body lethal irradiation. *J Med Food* 9, no. 2 (2006): 154–60.
- Grace, M. H., et al. Phytochemical characterization of an adaptogenic preparation from *Rhodiola heterodonta*. *Nat Prod Commun* 4, no. 8 (2009): 1053–58.
- Guest, H. J. Molecular phylogeography of *Rhodiola integrifolia* (Crassulaceae) and its postglacial recolonization of north-western North America. Poster presented at the Botany 2006 conference at California State University at Chico, July 28–August 2, 2006. <http://2006.botanyconference.org/engine/search/index.php?func=detail&aid=668>.
- Guest, H. J. Systematic and phylogeographic implications of molecular variation in the western North American roseroot, *Rhodiola integrifolia* (Crassulaceae). Master's thesis, University of Victoria (British Columbia), 2001. <http://hdl.handle.net/1828/2812>.
- Guo, Y. Synthesis, biological activity of salidroside and its analogues. *Chem Pharm Bull (Tokyo)* 58, no. 12 (2010): 1627–29.
- Gupta, A., et al. Effects of *Rhodiola imbricata* on dermal wound healing. *Planta Med* 73, no. 8 (2007): 774–77.
- Gupta, V., et al. Anti-oxidative effect of *Rhodiola imbricata* root extract in rats during cold, hypoxia and restraint (C-H-R) exposure and post-stress recovery. *Food Chem Toxicol* 48, no. 4 (2010): 1019–25.
- Gupta, V., et al. A dose dependent adaptogenic and safety evaluation of *Rhodiola imbricata* Edgew, a high altitude rhizome. *Food Chem Toxicol* 46, no. 5 (2008): 1645–52.
- Gupta, V., et al. Mechanism of action of *Rhodiola imbricata* Edgew during exposure to cold, hypoxia and restraint (C-H-R) stress induced hypothermia and post stress recovery in rats. *Food Chem Toxicol* 47, no. 6 (2009): 1239–45.
- Ha, Z., et al. The effect of rhodiola and acetazolamide on the sleep architecture and blood oxygen saturation in men living at high altitude. *Zhonghua Jie He He Hu Xi Za Zhi* 25, no. 9 (2002): 527–30.
- Helling, B. H., et al. Potent in vitro inhibition of CYP3A4 and P-glycoprotein by *Rhodiola rosea*. *Planta Med* 76, no. 4 (2010): 331–38.
- Huang, S. C., et al. Attenuation of long-term *Rhodiola rosea* supplementation on exhaustive swimming-evoked oxidative stress in the rat. *Chin J Physiol* 52, no. 5 (2009): 316–24.
- Hung, S. K., et al. The effectiveness and efficacy of *Rhodiola rosea* L.: a systematic review of randomized clinical trials. *Phytomedicine* 18, no. 4 (2011): 235–44. E-pub (preprint) October 30, 2010.
- Iaremii, I. N., et al. Hepatoprotective properties of liquid extract of *Rhodiola rosea*. *Eksp Klin Farmakol* 65, no. 6 (2002): 57–59.
- Jafari, M., et al. *Rhodiola*: a promising anti-aging Chinese herb. *Rejuvenation Res* 10, no. 4 (2007): 587–602.
- Jang, S. L. Salidroside from *Rhodiola sachalinensis* protects neuronal PC12 cells against cytotoxicity induced by amyloid-beta. *Immunopharmacol Immunotoxicol* 25, no. 3 (2003): 295–304.
- Jeong, H. J., et al. Neuraminidase inhibitory activities of flavonoids isolated from *Rhodiola rosea* roots and their in vitro anti-influenza viral activities. *Bioorg Med Chem* 17, no. 19 (2009): 6816–23.
- Kang, S., et al. Comparative study of the constituents from 10 *Rhodiola* plants. *Zhong Yao Cai* 20, no. 12 (1997): 616–18.

- Kanupriya., et al. Cytoprotective and antioxidant activity of *Rhodiola imbricata* against tert-butyl hydroperoxide induced oxidative injury in U-937 human macrophages. *Mol Cell Biochem* 275, no. 1–2 (2005): 1–6.
- Kelly, G. S. *Rhodiola rosea*: a possible plant adaptogen. *Altern Med Rev* 6, no. 3 (2001): 293–302.
- Khanum, F., et al. *Rhodiola rosea*: a versatile adaptogen. *Inst Food Tech* 4 (2005): 55–62.
- Kobayashi, K., et al. Constituents of *Rhodiola rosea* showing inhibitory effect on lipase activity in mouse plasma and alimentary canal. *Planta Med* 74, no. 14 (2008): 1716–19.
- Kormosh, N., et al. Effect of a combination of extract from several plants on cell-mediated and humoral immunity of patients with advanced ovarian cancer. *Phytother Res* 20, no. 5 (2006): 424–25.
- Kucinskaite, A., et al. Evaluation of biologically active compounds in roots and rhizomes of *Rhodiola rosea* L. cultivated in Lithuania. *Medicina (Kaunas)* 43, no. 6 (2007): 487–494, 2007.
- Kucinskaite, A., et al. Experimental analysis of therapeutic properties of *Rhodiola rosea* L. and its possible application in medicine. *Medicina (Kaunas)* 40, no. 7 (2004): 614–19.
- Kwon, Y. I., et al. Evaluation of *Rhodiola crenulata* and *Rhodiola rosea* for management of type II diabetes and hypertension. *Asia Pac J Clin Nutr* 15, no. 3 (2006): 425–32.
- Lee, F. T., et al. Chronic *Rhodiola rosea* extract supplementation enforces exhaustive swimming tolerance. *Am J Chin Med* 37, no. 3 (2009): 557–72.
- Lee, M. W., et al. Antioxidative phenolic compounds from the roots of *Rhodiola sachalinensis* A. Bor. *Arch Pharm Res* 23, no. 5 (2000): 455–58.
- Lei, Y., et al. Chemical composition of the essential oils of two *Rhodiola* species from Tibet. *Z Naturforsch C* 58, no. 3–4 (2003): 161–64.
- Li, C., et al. Study on the extraction process for salidroside and p-tyrosol in *Rhodiola crenulata*. *Zhong Yao Cai* 29, no. 11 (2006): 1239–41. Li, H. B., et al. Salidroside stimulated glucose uptake in skeletal muscle cells by activating AMP-activated protein kinase. *Eur J Pharmacol* 588, no. 2–3 (2008): 165–69.
- Li, H. X., et al. Production of Th1- and Th2-dependent cytokines induced by the Chinese medicine herb, *Rhodiola algida*, on human peripheral blood monocytes. *J Ethnopharmacol* 123, no. 2 (2009): 257–66.
- Li, J., et al. Effect of rhodiola on expressions of Flt-1, KDR and Tie-2 in rats with ischemic myocardium. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 25, no. 5 (2005): 445–48.
- Li, T., et al. Identification and comparative determination of rhodionin in traditional Tibetan medicinal plants of fourteen *Rhodiola* species by high-performance liquid chromatography-photodiode array detection and electrospray ionization-mass spectrometry. *Chem Pharm Bull (Tokyo)* 56, no. 6 (2008): 807–14.
- Li, T., et al. Pharmacological studies on the sedative and hypnotic effect of salidroside from the Chinese medicinal plant *Rhodiola sachalinensis*. *Phytomedicine* 14, no. 9 (2007): 601–4.
- Li, X., et al. Bioactive constituents from Chinese natural medicines. XXIX. Monoterpene and monoterpene glycosides from the roots of *Rhodiola sachalinensis*. *Chem Pharm Bull (Tokyo)* 56, no. 4 (2008): 612–15.
- Liu, Q., et al. Phenolic components from *Rhodiola dumulosa*. *Zhongguo Zhong Yao Za Zhi* 33, no. 4 (2008): 411–13.
- Lovieno, N., et al. Second-tier natural antidepressants: review and critique, *J Affect Disord* 130, no. 3 (2011): 343–57. E-pub (preprint) June 26, 2010.

- Luo, D., et al. Studies on the chemical constituents from *Rhodiola dumulosa* (I). *Zhong Yao Cai* 28, no. 2 (2005): 98–99.
- Ma, G., et al. Rhodiolosides A–E, monoterpene glycosides from *Rhodiola rosea*. *Chem Pharm Bull (Tokyo)* 54, no. 8 (2006): 1229–33.
- Majewska, A., et al. Antiproliferative and antimitotic effect, S phase accumulation and induction of apoptosis and necrosis after treatment of extract from *Rhodiola rosea* rhizomes on HL-60 cells. *J Ethnopharmacol* 103, no. 1 (2006): 43–52.
- Maslov, L. N., et al. Antiarrhythmic activity of phytoadaptogens in short-term ischemia-reperfusion of the heart and postinfarction cardiosclerosis. *Bull Exp Biol Med* 147, no. 3 (2009): 331–34.
- Maslova, L. V., et al. The cardioprotective and antiadrenergic activity of an extract of *Rhodiola rosea* in stress. *Eksp Klin Farmakol* 57, no. 6 (1994): 61–63.
- Mattioli, L., et al. Effects of *Rhodiola rosea* L. extract on behavioural and physiological alterations induced by chronic mild stress in female rats. *J Psychopharmacol* 23, no. 2 (2009): 130–42.
- Mattioli, L., et al. *Rhodiola rosea* L. extract reduces stress- and CRF-induced anorexia in rats. *J Psychopharmacol* 21, no. 7 (2007): 742–50.
- Meng, L. Q., et al. Efficacy of observation Xinnaoxin capsules in treatment of chronic cerebral circulatory insufficiency. *Zhongguo Zhong Yao Za Zhi* 32, no. 17 (2007): 1798–800.
- Ming, D. S., et al. Bioactive compounds from *Rhodiola rosea* (Crassulaceae). *Phytother Res* 19, no. 9 (2005): 740–43.
- Mishra, K. P., et al. Adjuvant effect of aqueous extract of *Rhodiola imbricata* rhizome on the immune responses to tetanus toxoid and ovalbumin in rats. *Immunopharmacol Immunotoxicol* 32, no. 1 (2010): 141–46.
- Mishra, K. P., et al. Aqueous extract of *Rhodiola imbricata* rhizome inhibits proliferation of an erythroleukemic cell line K-562 by inducing apoptosis and cell cycle arrest at G2/M phase. *Immunobiology* 213, no. 2 (2008): 125–31.
- Mishra, K. P., et al. Aqueous extract of *Rhodiola imbricata* rhizome stimulates proinflammatory mediators via phosphorylated I $\kappa$ B and transcription factor nuclear factor- $\kappa$ B. *Immunopharmacol Immunotoxicol* 28, no. 2 (2006): 201–12.
- Mishra, K. P., et al. Aqueous extract of *Rhodiola imbricata* rhizome stimulates Toll-like receptor 4, granzyme-B and Th1 cytokines in vitro. *Immunobiology* 214, no. 1 (2009): 27–31.
- Mook-Jung, I., et al. Neuroprotective effects of constituents of the Oriental crude drugs, *Rhodiola sacra*, *R. sachalinensis* and *tokaku-joki-to*, against beta-amyloid toxicity, oxidative stress and apoptosis. *Biol Pharm Bull* 25, no. 8 (2002): 1101–4.
- Moran, R. V. *Rhodiola integrifolia*. In *Flora of North America* 8, ed. Flora of North America Steering Committee, 164–66. New York and Oxford, 2009.  
[http://efloras.org/florataxon.aspx?flora\\_id=1&taxon\\_id=250092043](http://efloras.org/florataxon.aspx?flora_id=1&taxon_id=250092043). Morgan, M., et al. *Rhodiola rosea*—*rhodiola*. *Chem Pharm Bull (Tokyo)* 47 (2005): 1–4.
- Nakamura, S., et al. Bioactive constituents from Chinese natural medicines. XXXVI. Chemical structures and hepatoprotective effects of constituents from roots of *Rhodiola sachalinensis*. *Chem Pharm Bull (Tokyo)* 55, no. 10 (2007): 1505–11.
- Nakamura, S., et al. Bioactive constituents from Chinese natural medicines. XXXVIII. Chemical structures of acyclic glycosides from the roots of *Rhodiola crenulata*. *Chem Pharm Bull (Tokyo)* 56, no. 4 (2008): 536–40.

- Narimanian, M., et al. Impact of Chisan (ADAPT-232) on the quality-of-life and its efficacy as an adjuvant in the treatment of acute non-specific pneumonia. *Phytomedicine* 12, no. 10 (2005): 723–29.
- Olsson, E. M., et al. A randomized, double-blind, placebo-controlled, parallel-group study of the standardized extract SHR-5 of the roots of *Rhodiola rosea* in the treatment of subjects with stress-related fatigue. *Planta Med* 75, no. 2 (2009): 105–12.
- Pae, H. O., et al. *Rhodiola sachalinensis* induces the expression of inducible nitric oxide synthase gene by murine fetal hepatocytes (BNL CL. 2). *Immunopharmacol Immunotoxicol* 23, no. 1 (2001): 25–33.
- Panossian, A., et al. Comparative study of *Rhodiola* preparations on behavioral despair of rats. *Phytomedicine* 15, no. 1–2 (2008): 84–91.
- Panossian, A., et al. Evidence-based efficacy of adaptogens in fatigue, and molecular mechanisms related to their stress-protective activity. *Curr Clin Pharmacol* 4, no. 3 (2009): 198–219.
- Panossian, A., et al. Rosenroot (*Rhodiola rosea*): traditional use, chemical composition, pharmacology and clinical efficacy. *Phytomedicine* 17, no. 7 (2010): 481–93.
- Parisi, A., et al. Effects of chronic *Rhodiola rosea* supplementation on sport performance and antioxidant capacity in trained male: preliminary results. *J Sports Med Phys Fitness* 50, no. 1 (2010): 57–63. Pashkevich, I. A., et al. Comparative evaluation of effects of p-tyrosol and *Rhodiola rosea* extract on bone marrow cells in vivo. *Eksp Klin Farmakol* 66, no. 4 (2003): 50–52.
- Peng, J. N., et al. Chemical constituents of *Rhodiola kirilowii* (Regel) Regel. *Zhongguo Zhong Yao Za Zhi* 19, no. 11 (1994): 676–77, 702.
- Peng, J. N., et al. Studies on the chemical constituents of *Rhodiola fastigita*. *Yao Xue Xue Bao* 31, no. 10 (1996): 798–800.
- Pererva, T. P., et al. Interaction of *Ungernia victoris*, *Rhodiola rosea* and *Polyscias filicifolia* plant extracts with bacterial cells. *Tsitol Genet* 44, no. 4 (2010): 34–40.
- Perfumi, M., et al. Adaptogenic and central nervous system effects of single doses of 3% rosavin and 1% salidroside *Rhodiola rosea* L. extract in mice. *Phytother Res* 21, no. 1 (2007): 37–43.
- Pickut, W. The uses of the *Rhodiola integrifolia* herb. *LIVESTRONG.com*, July 13, 2010. <http://livestrong.com/article/173782-the-uses-of-the-rhodiola-integrifolia-herb/>.
- Platikanov, S., et al. Introduction of wild golden root (*Rhodiola rosea* L.) as a potential economic crop in Bulgaria. *Econ Bot* 20, no. 10 (2008): 1–7. Pooja., et al. Anti-inflammatory activity of *Rhodiola rosea*—“a second-generation adaptogen.” *Phytother Res* 23, no. 8 (2009): 1099–102.
- Qin, Y. J., et al. Effects of *Rhodiola rosea* on level of 5-hydroxytryptamine, cell proliferation and differentiation, and number of neuron in cerebral hippocampus of rats with depression induced by chronic mild stress. *Zhongguo Zhong Yao Za Zhi* 33, no. 23 (2008): 2842–46.
- Qu, Z. Q., et al. Pretreatment with *Rhodiola rosea* extract reduces cognitive impairment induced by intracerebroventricular streptozotocin in rats: implications of anti-oxidative and neuroprotective effects. *Biomed Environ Sci* 22, no. 4 (2009): 318–26.
- Rohloff, J., et al. Volatiles from rhizomes of *Rhodiola rosea* L. *Phytochemistry* 59, no. 6 (2002): 655–61. Ruan, X., et al. Analysis on the trace element and amino acid content in xinjiang 6 series *Rhodiola* L. plant. *Guang Pu Xue Yu Guang Pu Fen Xi* 21, no. 4 (2001): 542–44.
- Schittko, U., and J. Grann. *Rhodiola integrifolia*: hybrid origin and medicinal ancestry. In *Proceedings of the North Dakota Academy of Science*, April 2008. Available online on the CBS Interactive website at [http://findarticles.com/p/articles/mi\\_hb253/is\\_62/ai\\_n29437249/](http://findarticles.com/p/articles/mi_hb253/is_62/ai_n29437249/).

- Schriener, S. E., et al. Decreased mitochondrial superoxide levels and enhanced protection against paraquat in *Drosophila melanogaster* supplemented with *Rhodiola rosea*. *Free Radic Res* 43, no. 9 (2009): 836–43.
- Schriener, S. E., et al. Protection of human cultured cells against oxidative stress by *Rhodiola rosea* without activation of antioxidant defenses. *Free Radic Biol Med* 47, no. 5 (2009): 577–84.
- Schutgens, F. W., et al. The influence of adaptogens on ultraweak biophoton emission: a pilot-experiment. *Phytother Res* 23, no. 8 (2009): 1103–8.
- Seikou, N., et al. Bioactive constituents from Chinese natural medicines. XXVI. Chemical structures and hepatoprotective effects of constituents from roots of *Rhodiola sachalinensis*. *Chem Pharm Bull (Tokyo)* 55, no. 10 (2007): 1505–11.
- Seo, W. G., et al. The aqueous extract of *Rhodiola sachalinensis* root enhances the expression of inducible nitric oxide synthase gene in RAW264.7 macrophages. *J Ethnopharmacol* 76, no. 1 (2001): 119–23.
- Shen, W., et al. Effects of rhodiola on expression of vascular endothelial cell growth factor and angiogenesis in aortic atherosclerotic plaque of rabbits. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 28, no. 11 (2008): 1022–5.
- Shevtsov, V. A., et al. A randomized trial of two different doses of a SHR-5 *Rhodiola rosea* extract versus placebo and control of capacity for mental work. *Phytomedicine* 19, no. 2–3 (2003): 95–105.
- Shi, C. D., et al. Automatic nervous system mediates the cardiovascular effects of *Rhodiola sacra* radix in rats. *J Ethnopharmacol* 119, no. 2 (2008): 284–90.
- Sio-Po, I., et al. Association of free radicals and the tissue renin-angiotensin system: prospective effects of *Rhodiola*, a genus of Chinese herb, on hypoxia-induced pancreatic injury, *JOP* 2, no. 1 (2001): 16–25.
- Skopinska-Rózewska, E., et al. The effect of *Rhodiola quadrafida* extracts on cellular immunity in mice and rats. *Pol J Vet Sci* 11, no. 2 (2008): 105–11.
- Skopinska-Rózewska, E., et al. The influence of *Rhodiola quadrifida* 50% hydro-alcoholic extract and salidroside on tumor-induced angiogenesis in mice. *Pol J Vet Sci* 11, no. 2 (2008): 97–104.
- Smith, H. I. *Materia medica of the Bella Coola and neighboring tribes of British Columbia*. In Annual report for 1927, bulletin no. 56 of the Canada Department of Mines and the National Museum of Canada, 47–68. Ottawa: F. A. Acland, 1929. Reproduced online at [http://wolf.mind.net/swsbm/Ethnobotany/Bella\\_Coola\\_Materia\\_Medica.pdf](http://wolf.mind.net/swsbm/Ethnobotany/Bella_Coola_Materia_Medica.pdf).
- Spasov, A. A., et al. A double-blind, placebo-controlled pilot study of the stimulating and adaptogenic effect of *Rhodiola rosea* SHR-5 extract on the fatigue of students caused by stress during an examination period with a repeated low-dose regimen. *Phytomedicine* 7, no. 2 (2000): 85–89.
- Spasov, A. A., et al. The effect and preparation of rodakson on the psychophysiological and physical adaptation of students to an academic load. *Eksp Klin Farmakol* 63, no. 1 (2000): 76–78. Tan, C. B., et al. Protective effect of salidroside on endothelial cell apoptosis induced by cobalt chloride. *Biol Pharm Bull* 32, no. 8 (2009): 1359–63.
- Tolonen, A., et al. Phenylpropanoid glycosides from *Rhodiola rosea*. *Chem Pharm Bull (Tokyo)* 51, no. 4 (2003): 467–70.
- Tu, Y., et al. *Rhodiola crenulata* induces death and inhibits growth of breast cancer cell lines. *J Med Food* 11, no. 3 (2008): 413–23. van Diermen, D., et al. Monoamine oxidase inhibition by *Rhodiola rosea* L. roots. *J Ethnopharmacol* 122, no. 2 (2009): 397–401.

- Walker, T. B., et al. Does *Rhodiola rosea* possess ergogenic properties? *Int J Sport Nutr Exerc Metab* 16, no. 3 (2006): 305–15.
- Wang, H., et al. The in vitro and in vivo antiviral effects of salidroside from *Rhodiola rosea* L. against Coxsackievirus B3. *Phytomedicine* 16, no. 2–3 (2009): 146–55.
- Wang, Q., et al. Salidroside protects the hypothalamic-pituitary-gonad axis of male rats undergoing negative psychological stress in experimental navigation and intensive exercise. *Zhonghua Nan Ke Xue* 15, no. 4 (2009): 331–36.
- Wiedenfeld, H., et al. Phytochemical and analytical studies of extracts from *Rhodiola rosea* and *Rhodiola quadrifida*. *Pharmazie* 62, no. 4 (2007): 308–11. Wójcik, R., et al. The effect of Chinese medicinal herb *Rhodiola kirilowii* extracts on cellular immunity in mice and rats. *Pol J Vet Sci* 12, no. 3 (2009): 399–405.
- Wong, Y. C., et al. Chemical constituents and anti-tuberculosis activity of root of *Rhodiola kirilowii*. *Zhongguo Zhong Yao Za Zhi* 33, no. 13 (2008): 1561–65.
- Wu, T., et al. Cardioprotection of salidroside from ischemia/reperfusion injury by increasing N-acetylglucosamine linkage to cellular proteins. *Eur J Pharmacol* 613, no. 1–3 (2009): 93–99.
- Wu, Y. L., et al. Hepatoprotective effects of salidroside on fulminant hepatic failure induced by D-galactosamine and lipopolysaccharide in mice. *J Pharm Pharmacol* 61, no. 10 (2009): 1375–82.
- Xu, K. J., et al. Preventive and treatment effect of composite rhodiolae on acute lung injury in patients with severe pulmonary hypertension during extracorporeal circulation.
- *Zhongguo Zhong Xi Yi Jie He Za Zhi* 23, no. 9 (2003): 648–50. Yan, X., et al. Seasonal variations in biomass and salidroside content in roots of *Rhodiola sachalinensis* as affected by gauze and red film shading.
- Ying Yong Sheng Tai Xue Bao 15, no. 3 (2004): 382–86. Yoshikawa, M., et al. Bioactive constituents of Chinese natural medicines. II. *Rhodiolae radix*. (1). Chemical structures and antiallergic activity of rhodiocyanosides A and B from the underground part of *Rhodiola quadrifida* (Pall.) Fisch. et May. (Crassulaceae). *Chem Pharm Bull (Tokyo)* 44, no. 11 (1996): 2086–91.
- Yoshikawa, M., et al. Bioactive constituents of Chinese natural medicines. IV. *Rhodiolae radix*. (2). On the histamine release inhibitors from the underground part of *Rhodiola sacra* (Prain ex Hamet) S. H. Fu (Crassulaceae): chemical structures of rhodiocyanoside D and sacranosides A and B. *Chem Pharm Bull (Tokyo)* 45, no. 9 (1997): 1498–503.
- Yoshikawa, M., et al. Rhodiocyanosides A and B, new antiallergic cyanoglycosides from Chinese natural medicine “*si lie hong jing tain*,” the underground part of *Rhodiola quadrifida* (Pall.) Fisch. et Mey. *Chem Pharm Bull (Tokyo)* 43, no. 7 (1995): 1245–47.
- Yousef, G. G., et al. Comparative phytochemical characterization of three *Rhodiola* species. *Phytochemistry* 67 (2006): 2380–91.
- Yu, S., et al. Involvement of ERK1/2 pathway in neuroprotection by salidroside against hydrogen peroxide-induced apoptotic cell death. *J Mol Neurosci* 40, no. 3 (2010): 321–31.
- Yu, S., et al. Neuroprotective effects of salidroside in the PC12 cell model exposed to hypoglycemia and serum limitation. *Cell Mol Neurobiol* 28, no. 8 (2008): 1067–78.
- Zhang, J., et al. Salidroside protects cardiomyocyte against hypoxia-induced death: a HIF-1 $\alpha$ -activated and VEGF-mediated pathway. *Eur J Pharmacol* 607, no. 1–3 (2009): 6–14.
- Zhang, L., et al. Neuroprotective effects of salidroside against beta-amyloid-induced oxidative stress in SH-SY5Y human neuroblastoma cells. *Neurochem Int* 57, no. 5 (2010): 547–55.

- Zhang, L., et al. Protective effects of salidroside on hydrogen peroxide-induced apoptosis in SH-SY5Y human neuroblastoma cells. *Eur J Pharmacol* 564, no. 1–3 (2007): 18–25.
- Zhang, S., et al. Early use of Chinese drug rhodiola compound for patients with post-trauma and inflammation in prevention of ALI/ARDS.
- *Zhonghua Wai Ke Za Zhi* 37, no. 4 (1999): 238–40. Zhang, S., et al. Extraction of flavonoids from *Rhodiola sachlensis* A. Bor by UPE and the antioxidant activity of its extract. *Nat Prod Res* 22, no. 2 (2008): 178–87.
- Zhang, W. S., et al. Protective effects of salidroside on injury induced by hypoxia/hypoglycemia in cultured neurons. *Zhongguo Zhong Yao Za Zhi* 29, no. 5 (2004): 459–62.
- Zhang, Z., et al. The effect of rhodiola capsules on oxygen consumption of myocardium and coronary artery blood flow in dogs. *Zhongguo Zhong Yao Za Zhi* 23, no. 2 (1998): 104–6.
- Zhao, H. W., et al. *Rhodiola sacra* aqueous extract (RSAE) improves biochemical and sperm characteristics in cryopreserved boar semen. *Theriogenology* 71, no. 5 (2009): 849–57.
- Zhou, X., et al. *Rhodiola sachalinensis* suppresses T241 fibrosarcoma tumor cells proliferation in vitro and growth in vivo.
- *Zhong Yao Cai* 31, no. 9 (2008): 1377–80. Zhou, X., et al. Salidroside production by hairy roots of *Rhodiola sachalinensis* obtained after transformation with *Agrobacterium rhizogenes*. *Biol Pharm Bull* 30, no. 3 (2007): 439–42.
- Zhu, B. W., et al. Reduction of noise-stress-induced physiological damage by radices of astragali and rhodiolae: glycogen, lactic acid and cholesterol contents in liver of the rat. *Biosci Biotechnol Biochem* 67, no. 9 (2003): 1930–36.
- Zhu, B. W., et al. Resistance imparted by traditional Chinese medicines to the acute change of glutamic pyruvic transaminase, alkaline phosphatase and creatine kinase activities in rat blood caused by noise. *Biosci Biotechnol Biochem* 68, no. 5 (2004): 1160–63.
- Zhu, L., et al. Prevention of *Rhodiola–Astragalus membranaceus* compounds against simulated plateau hypoxia brain injury in rat. *Space Med Med Eng (Beijing)* 18, no. 4 (2005): 303–5.
- Zhuravlev, Y. N., et al. Medicinal plants of the Kurile Islands. *Botanical News from the Russian Far East* 2 (2005): 1–2.
- Zubeldia, J. M., et al. Exploring new applications for *Rhodiola rosea*: can we improve the quality of life of patients with short-term hypothyroidism induced by hormone withdrawal? *J Med Food* 13, no. 6 (2010): 1287–92.
- Zuo, G., et al. Activity of compounds from Chinese herbal medicine *Rhodiola kirilowii* (Regel) Maxim against HCV NS3 serine protease. *Antiviral Res* 76, no. 1 (2007): 86–92.